

Saratoga Kit Vetroresina – Fiberglass Kit

Saratoga Kit Vetroresina – Fiberglass Kit is a kit that contains unsaturated polyesters with styrol based filler, to be catalyzed, at the moment of use, with Saratoga Harden Bond and to be spread with a brush on the fiberglass cloth (which combines high electrical and mechanical properties, with acids corrosion resistance).

APPLICATION FIELDS

For parts needing repair, and reconstruction of caravans, campers, cars, vans and boats restoration.

For hobby modeling and repairing cavities and holes caused by rust, on every surface, both metal, and rough and varnished fiberglass, previous sandpapering. After drying, can be sandpapered, bolted, varnished and drilled.

APPLICATION AND INSTRUCTIONS

- Apply to clean, dry, degreased and sandpapered surfaces.
- Pick up the quantity needed for the application and catalyse it adding from 1 to 3% of specific hardener, according to room temperature and the desired curing time.
- Blend very well the two components.
- Spread the mixture obtained with a brush on the fiberglass cloth included in the packaging, until obtaining a perfect soak.
- Working and application time: about 7 minutes at +20°C.
- Can be sandpapered after 20-30 minutes from the application.

Cleaning: right after with nitro diluent; cured, remove with a blade.

Specific data	
Resin appearance	Liquid
Resin specific weight at +20°C (ASTM D1475)	1.05 – 1.15 g/ml
Resin Brookfield viscosity at +20°C (ASTM D2196)	1000 – 3000 cPs

STORAGE AND SHELF LIFE

in unopened original packaging, between +20 and +25°C its shelf life is 12 months since manufacturing date.

CAUTIONS

Keep in a cool place.

Keep out of the reach of children.

Consult Material Safety Data Sheet for full list of hazards and the directions on the product label itself.

For further information, please visit our site www.saratoga.it

Product Description	Pack size	Product code	Box quantity	EAN Code
Kit Vetroresina – Fiberglass Kit	1. 500 ml of Resin Bond polyester Fiberglass 2. 1 Harden Bond hardener 3. A brush 4. A mixing container 5. 0.5 mq of Mat Vitrosa fiberglass cloth	54 435 001	4	8 005860 544352

