According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 1 of 8
 Date of review: 12/04/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SALDA METALLI UNIMETAL SIRINGA MIX - Hardener cod. 57043001

UFI: 9A80-10RY-200P-UDR2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use HARDENER. To be used in combination with SALDA METALLI SIRINGA MIX -

Resin

Uses advised against This product is not recommended for all those uses not specifically identified on

the label.

1.3. Details of the supplier of the safety data sheet

Company: Saratoga Int. Sforza S.p.A.

Via Edison, 76

20090 Trezzano s/Naviglio (MI)

ITALIA

Telephone: Tel. +39 02 445731 Telefax: Fax +39 02 4452742

E-mail address: trading@saratogasforza.com

1.4. Emergency telephone number

CAV - Ospedale Pediatrico "Bambino Gesù" - Roma - Tel. +39 06 68593726 (h24)

CAV - Azienda Ospedaliero-Universitaria Foggia - Foggia - Tel. +39 0881 732326 (h24)

CAV - Azienda Ospedaliera "A. Cardarelli" - Napoli - Tel. +39 081 7472870 (h24)

CAV - Policlinico "Umberto I" - Roma - Tel. +39 06 4450618 (h24) CAV - Policlinico "A. Gemelli" - Roma - Tel. +39 06 3054343 (h24)

CAV - Azienda Ospedaliera "Careggi" U.O. Tossicologia Medica - Firenze - Tel. +39 055 7947819(h24)

CAV - Centro Nazionale di Informazione Tossicologica - Pavia - Tel. +39 0382 24444 (h24)

CAV - Ospedale "Niguarda Ca' Granda" - Milano - Tel. +39 02 66101029 (h24)

CAV - Azienda Ospedaliera "Papa Giovanni XXIII" - Bergamo - Tel. +39 800 883300 (h24)

CAV - Azienda Ospedaliera Integrata Verona - Verona - Tel. +39 800 011858 (h24)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Eye Dam. 1, Causes serious eye damage.

Warning, Skin Sens. 1B, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 2 of 8

 Date of print: 12/04/2024

 Date of review: 12/04/2024

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing. Eyes and face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice, attention.

P501 Dispose of contents and container in authorized collection centers.

Contains

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide 1,3-bis[3-(dimethylamino)propyl]urea

Hydroquinone

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 80% - < 90%	Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane	EC: REACH No.:	701-196-7 01- 2120118957- 46	3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412
>= 7% - < 10%	Urea, N,N'-bis[3- (dimethylamino)propyl] -	CAS: EC: REACH No.:	52338-87-1 257-861-2 01- 2120781639- 37	3.3/1 Eye Dam. 1 H318 3.4.2/1 Skin Sens. 1 H317 4.1/C3 Aquatic Chronic 3 H412
>= 0.3% - < 0.5%	1,4-dihydroxybenzene; hydroquinone; quinol	Index number: CAS: EC: REACH No.:	604-005-00-4 123-31-9 204-617-8 01- 2119524016- 51	 3.6/2 Carc. 2 H351 3.5/2 Muta. 2 H341 3.3/1 Eye Dam. 1 H318 3.4.2/1 Skin Sens. 1 H317 4.1/A1 Aquatic Acute 1 H400 M=10. 3.1/4/Oral Acute Tox. 4 H302

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing. OBTAIN IMMEDIATE MEDICAL ATTENTION.

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 3 of 8

 Date of review: 12/04/2024

Remove contaminated clothing immediatley and dispose off safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 4 of 8

 Date of review: 12/04/2024

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,4-dihydroxybenzene; hydroquinone; quinol - CAS: 123-31-9

- OEL Type: ACGIH - TWA(8h): 1 mg/m3 - Notes: DSEN, A3 - Eye irr, eye dam

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Paste		
Colour:	White		
Odour:	Characteristic		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	>+250°C		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	+250°C		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		The mixture is not self-reactive
pH:	N.A.		
Kinematic viscosity:	> 20,5 mm2/ sec (+40 °C)		
Solubility in water:	INSOL		
Solubility in oil:	N.A.		
Partition coefficient n-octanol/water (log value):	N.A.		It is a mixture
Vapour pressure:	N.A.		
Density and/or relative	1.05 g/ml		

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 5 of 8

 Date of review: 12/04/2024

density:			
Relative vapour density:	N.A.		
Particle characteristics:			
Particle size:	N.A.		It is not a solid

9.2. Other information

Properties	Value	Method:	Notes
Viscosity:	>20.5 mm ² /s		
	40°C		

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

SALDA METALLI SIRINGA MIX - Hardener

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1B H317

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

N.A.

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 6 of 8

 Date of review: 12/04/2024

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SALDA METALLI SIRINGA MIX - Hardener

The product is classified: Aquatic Chronic 3 - H412

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 7 of 8

 Date of review: 12/04/2024

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eve damage.

H351 Suspected of causing cancer.

H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H302 Harmful if swallowed.

Hazard class and	Code	Description
hazard category		
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Muta. 2	3.5/2	Germ cell mutagenicity, Category 2
Carc. 2	3.6/2	Carcinogenicity, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Dam. 1, H318	Calculation method
Skin Sens. 1B, H317	Calculation method

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SALDA METALLI SIRINGA MIX - Hardener

 cod. 57043001
 Date of print: 12/04/2024

 Revision: 5.2.1 / EN
 Page 8 of 8

 Date of review: 12/04/2024

Aquatic Chronic 3, H412

Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

In bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre.

Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.