USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 1 di 17
 Data di revisione: 10/03/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : USA WHITE NEUTRO LAMIERE TESTA DI MORO

Product code : 85414012

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Silicone sealant, adhesive

Uses advised against : This product is not recommended for all those industrial,

professional or consumer uses not specifically identified on the label.

1.3 Details of the supplier of the safety data sheet

Company : Saratoga Int. Sforza Spa

Via Edison 76

20090 Trezzano s/Naviglio (MI)

Tel. +039 02.445731 Fax +039 02.4452742

E-mail address of person

responsible for the SDS

trading@saratogasforza.com

1.4 Emergency telephone number

SARATOGA INT. SFORZA SPA + 039 02 445731 From Monday to Friday (h.09:00-13:00 / 14:00-17:30)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements : P102 Keep out of reach of children.

P262 Avoid contact with eyes and skin.

P271 Use only outdoors or in a well-ventilated area.

Additional Labelling

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 2 di 17
 Data di revisione: 10/03/2017

EUH208 Contains Trimethoxy(methyl)silane. May produce an allergic reaction.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Silicone elastomer

Hazardous components

| Chemical name | CAS-No. EC-No. Index-No. | Classification | Concentration (% w/w) |
|--------------------------|---|---|--------------------------|
| Trimethoxy(methyl)silane | Registration number 1185-55-3 214-685-0 01-2119517436-40 | Flam. Liq. 2; H225 Skin Sens. 1B; H317 | >= 0.1 - < 1 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 3 di 17
 Data di revisione: 10/03/2017

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides Metal oxides Formaldehyde Silicon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equip-

ment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate contain-

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 4 di 17
 Data di revisione: 10/03/2017

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : These precautions are for room temperature handling. Use at

elevated temperature or aerosol/spray applications may

require added precautions.

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 5 di 17
 Data di revisione: 10/03/2017

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|--|---|---|---|
| Calcium carbonate treated with stearic acid | Not As- signed | TWA (inhalable dust) | 10 mg/m3 | GB EH40 |
| Further information | For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used | | | |
| | | TWA (Respirable dust) | 4 mg/m3 | GB EH40 |
| Further information | fractions of air in accordance sampling and COSHH defin kind when pre 8-hour TWA of This means the above these le posure to the contain particulof any particulody response HSE distinguis ble' and 'respi material that e | rborne dust which will with the methods de gravimetric analysis ition of a substance is sent at a concentrate of inhalable dust or 4 hat any dust will be sevels. Some dusts have a served and the served of a wide range of a lar particle after entry that it elicits, dependent of the served of the | espirable dust and inhalable all be collected when sampling escribed in MDHS14/3 Gene of respirable and inhalable of hazardous to health includes ion in air equal to or greater mg.m-3 8-hour TWA of respubject to COSHH if people all ave been assigned specific Value the appropriate limit., Most in five sizes. The behaviour, depoy into the human respiratory and on the nature and size of the size of limit-setting purposes at approximates to the fractio mouth during breathing and intrinsional intrinsional interest. Respirable dust | g is undertaken ral methods for dust, The dust of any than 10 mg.m-3 irable dust. The exposed VELs and exndustrial dusts esition and fate system and the the particle. The termed 'inhalan of airborne stherefore |

USA WHITE NEUTRO LAMIERE TESTA DI MORO cod.85414012

Data di stampa: 27/03/2018 Data di revisione: 10/03/2017 Pag. 6 di 17 Versione: 1.7/ EN

| | to the fraction that penetrates to the gas exchange region of the definitions and explanatory material are given in MDHS14/3., V contain components that have their own assigned WEL, all the should be complied with., Where no specific short-term expositions the large term expositions the large term expositions. | Where dusts relevant limits |
|---------------------|--|---|
| Titanium dioxide | a figure three times the long-term exposure should be used 13463-67-7 TWA (inhalable dust) 10 mg/m3 | GB EH40 |
| Further information | For the purposes of these limits, respirable dust and inhalable fractions of airborne dust which will be collected when samplin in accordance with the methods described in MDHS14/3 Gene sampling and gravimetric analysis of respirable and inhalable COSHH definition of a substance hazardous to health includes kind when present at a concentration in air equal to or greater 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust will be subject to COSHH if people a above these levels. Some dusts have been assigned specific to posure to these must comply with the appropriate limit., Most it contain particles of a wide range of sizes. The behaviour, depend on any particular particle after entry into the human respiratory body response that it elicits, depend on the nature and size of HSE distinguishes two size fractions for limit-setting purposes ble' and 'respirable'., Inhalable dust approximates to the fraction material that enters the nose and mouth during breathing and available for deposition in the respiratory tract. Respirable dust to the fraction that penetrates to the gas exchange region of the definitions and explanatory material are given in MDHS14/3., Ventain components that have their own assigned WEL, all the should be complied with., Where no specific short-term expose a figure three times the long-term exposure should be used | g is undertaken eral methods for dust, The s dust of any than 10 mg.m-3 pirable dust. The exposed WELs and exposed wells and fate system and the the particle. The particle is therefore the approximates the lung. Fuller where dusts are levant limits |
| | TWA (Respirable 4 mg/m3 dust) | GB EH40 |
| Further information | For the purposes of these limits, respirable dust and inhalable fractions of airborne dust which will be collected when samplin in accordance with the methods described in MDHS14/3 Gene sampling and gravimetric analysis of respirable and inhalable (COSHH definition of a substance hazardous to health includes kind when present at a concentration in air equal to or greater 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable above these levels. Some dusts have been assigned specific to posure to these must comply with the appropriate limit., Most it contain particles of a wide range of sizes. The behaviour, depend on any particular particle after entry into the human respiratory body response that it elicits, depend on the nature and size of HSE distinguishes two size fractions for limit-setting purposes ble' and 'respirable'., Inhalable dust approximates to the fraction material that enters the nose and mouth during breathing and available for deposition in the respiratory tract. Respirable dust to the fraction that penetrates to the gas exchange region of the definitions and explanatory material are given in MDHS14/3., V contain components that have their own assigned WEL, all the should be complied with., Where no specific short-term exposition. | g is undertaken eral methods for dust, The s dust of any than 10 mg.m-3 pirable dust. The exposed WELs and exposed with a system and the system and the the particle. The particle is therefore the approximates the lung. Fuller where dusts are levant limits |

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 7 di 17
 Data di revisione: 10/03/2017

| a figure three times the long-term exposure should be used | | | | |
|--|-----------|-----|---------|-----|
| Methyltrimethox- ysilane | 1185-55-3 | TWA | 7.5 ppm | OEL |

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Calcium carbonate treated with stearic acid

Titanium dioxide

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| 1 | T = | T = | 1 |
|-----------|--|--|--|
| End Use | Exposure routes | | Value |
| | | fects | |
| Workers | Inhalation | Long-term local ef- | 10 mg/m3 |
| | | fects | |
| Consumers | Ingestion | Long-term systemic | 700 mg/kg |
| | | effects | bw/day |
| Workers | Skin contact | Acute systemic ef- | 0.38 mg/kg |
| | | fects | bw/day |
| Workers | Inhalation | Acute systemic ef- | 25.6 mg/m3 |
| | | fects | |
| Workers | Skin contact | Long-term systemic | 0.38 mg/kg |
| | | effects | bw/day |
| Workers | Inhalation | Long-term systemic | 25.6 mg/m3 |
| | | effects | |
| Consumers | Skin contact | Acute systemic ef- | 0.3 mg/kg |
| | | fects | bw/day |
| Consumers | Inhalation | Acute systemic ef- | 6.25 mg/m3 |
| | | fects | |
| Consumers | Ingestion | Long-term systemic | 0.26 mg/kg |
| | | effects | bw/day |
| Consumers | Skin contact | Long-term systemic | 0.3 mg/kg |
| | | effects | bw/day |
| Consumers | Inhalation | Long-term systemic | 6.25 mg/m3 |
| | | effects | |
| Consumers | Ingestion | Acute systemic ef- | 0.26 mg/kg |
| | | fects | bw/day |
| | Consumers Workers Workers Workers Workers Consumers Consumers Consumers Consumers Consumers | Workers Inhalation Consumers Ingestion Workers Skin contact Workers Inhalation Workers Inhalation Consumers Skin contact Consumers Inhalation Consumers Inhalation Consumers Inhalation Consumers Skin contact Consumers Inhalation Consumers Ingestion Consumers Skin contact Consumers Inhalation | Workers Inhalation Long-term local effects Consumers Ingestion Long-term systemic effects Workers Skin contact Acute systemic effects Workers Inhalation Acute systemic effects Workers Skin contact Long-term systemic effects Workers Inhalation Long-term systemic effects Consumers Skin contact Acute systemic effects Consumers Inhalation Acute systemic effects Consumers Ingestion Long-term systemic effects Consumers Skin contact Long-term systemic effects Consumers Ingestion Long-term systemic effects Consumers Inhalation Long-term systemic effects Consumers Ingestion Acute systemic ef- |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|--------------------------|---------------------------|---------------|
| Titanium dioxide | Fresh water | 0.184 mg/l |
| | Marine water | 0.0184 mg/l |
| | Intermittent use/release | 0.193 mg/l |
| | Sewage treatment plant | 100 mg/l |
| | Fresh water sediment | 1000 mg/kg |
| | Marine sediment | 100 mg/kg |
| | Soil | 100 mg/kg |
| Trimethoxy(methyl)silane | Fresh water | >= 1.3 mg/l |
| | Marine water | >= 0.13 mg/l |
| | Fresh water sediment | >= 1.1 mg/kg |
| | Marine sediment | >= 0.11 mg/kg |

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 8 di 17
 Data di revisione: 10/03/2017

| Soil | >= 0.17 mg/kg |
|------------------------|---------------|
| Sewage treatment plant | > 6.9 mg/l |

8.2 Exposure controls

Engineering measures

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Safety glasses

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Wash hands before breaks and at the end of workday.

Skin and body protection : Skin should be washed after contact.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : brown

Odour : none

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Initial boiling point and boiling

range

Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 9 di 17
 Data di revisione: 10/03/2017

Vapour pressure : Not applicable

Relative vapour density : No data available

Relative density : 1.52

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight : No data available

Particle size : No data available

Self-ignition : The substance or mixture is not classified as pyrophoric. The

substance or mixture is not classified as self heating.

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Use at elevated temperatures may form highly hazardous

compounds.

Can react with strong oxidizing agents.

Methyl alcohol is formed upon contact with water or humid air. Hazardous decomposition products will be formed at elevated

temperatures.

10.4 Conditions to avoid

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 10 di 17
 Data di revisione: 10/03/2017

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition : Formaldehyde

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Skin contact

exposure Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

Trimethoxy(methyl)silane:

Acute oral toxicity : LD50 (Rat): 12.3 ml/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Information taken from reference works and the

literature.

Acute inhalation toxicity : LC50 (Rat): > 42.1 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: On basis of test data.

Acute dermal toxicity : LD50 (Rabbit): > 9,500 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: On basis of test data.

Skin corrosion/irritation

Not classified based on available information.

Components:

Trimethoxy(methyl)silane:

Species: Rabbit

Result: No skin irritation

Remarks: On basis of test data.

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 11 di 17
 Data di revisione: 10/03/2017

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Trimethoxy(methyl)silane:

Species: Rabbit

Result: No eye irritation

Remarks: On basis of test data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Trimethoxy(methyl)silane:

Assessment: Probability or evidence of low to moderate skin sensitisation rate in humans

Test Type: Buehler Test Species: Guinea pig Result: positive

Remarks: On basis of test data.

Germ cell mutagenicity

Not classified based on available information.

Components:

Trimethoxy(methyl)silane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: On basis of test data.

: Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Result: positive

Remarks: On basis of test data.

: Test Type: Chromosome aberration test in vitro

Result: positive

Remarks: On basis of test data.

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: On basis of test data.

USA WHITE NEUTRO LAMIERE TESTA DI MORO

Data di stampa: 27/03/2018 cod.85414012 Versione: 1.7/ EN Pag. 12 di 17 Data di revisione: 10/03/2017

Germ cell mutagenicity- As- : Animal testing did not show any mutagenic effects.

sessment

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Trimethoxy(methyl)silane:

Effects on fertility Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: Ingestion Symptoms: No effects on fertility Remarks: On basis of test data.

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: Ingestion

Symptoms: No effects on foetal development

Remarks: On basis of test data.

Reproductive toxicity - As-

sessment

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Trimethoxy(methyl)silane:

Exposure routes: inhalation (vapour)

Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or

less.

Exposure routes: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg

bw or less.

Repeated dose toxicity

Components:

Trimethoxy(methyl)silane:

Species: Rat

USA WHITE NEUTRO LAMIERE TESTA DI MORO

Data di stampa: 27/03/2018 cod.85414012 Data di revisione: 10/03/2017 Versione: 1.7/ EN Pag. 13 di 17

Application Route: inhalation (vapour) Remarks: On basis of test data.

Species: Rat

Application Route: Ingestion Remarks: On basis of test data.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Trimethoxy(methyl)silane:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 110 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia sp. (water flea)): > 122 mg/l

Exposure time: 48 h

Toxicity to algae ErC50 (Pseudokirchneriella subcapitata (green algae)): > 120

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms EC50 : > 100 mg/l

Method: OECD Test Guideline 209

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Trimethoxy(methyl)silane:

Partition coefficient: n-: log Pow: -2.36

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

USA WHITE NEUTRO LAMIERE TESTA DI MORO

Data di stampa: 27/03/2018 cod.85414012 Data di revisione: 10/03/2017 Versione: 1.7/ EN Pag. 14 di 17

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

USA WHITE NEUTRO LAMIERE TESTA DI MORO

 cod.85414012
 Data di stampa: 27/03/2018

 Versione: 1.7/ EN
 Pag. 15 di 17
 Data di revisione: 10/03/2017

Regulation (EC) No 850/2004 on persistent organic pol- : Not applicable

lutants

Regulation (EC) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

IECSC : All ingredients listed or exempt.

PICCS : All ingredients listed or exempt.

REACH : All ingredients are (pre-) registered or exempt.

TSCA : All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory

exemption.

KECI : All ingredients listed, exempt or notified.

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the Ca-

nadian Domestic Substances List (DSL).

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour. H317 : May cause an allergic skin reaction.

Full text of other abbreviations

Flam. Liq. : Flammable liquids
Skin Sens. : Skin sensitisation
OEL : Observable Effects

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

DCC OEL / TWA : Time weighted average

USA WHITE NEUTRO LAMIERE TESTA DI MORO

cod.85414012 Data di stampa: 27/03/2018 Data di revisione: 10/03/2017 Versione: 1.7/ EN Pag. 16 di 17

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

compile the Safety Data Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

USA WHITE NEUTRO LAMIERE TESTA DI MORO cod.85414012 Data di stampa: 27/03/2018 Data di revisione: 10/03/2017 Versione: 1.7/ EN Pag. 17 di 17

Changes to previous review: The following sections were modified: SECTION 1: 1.2 Uses advised against

GB / EN