

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 1 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 88965001
Product name: RECUPERA E RINNOVA - Hardener

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **HARDENER.**
Uses advised against: **This product is not recommended for all those uses not specifically identified on the label.**

1.3. Details of the supplier of the safety data sheet

Name: Saratoga Int. Sforza SpA
Full address: Via Edison 76
District and Country: 20090 Trezzano s/Naviglio (MI)
ITALY
tel. +39-0131-791366
fax. +39-0131-773782

e-mail address of the competent person responsible for the Safety Data Sheet: trading@saratogasforza.com

1.4. Emergency telephone number

For urgent inquiries refer to:
CAV - Ospedale Pediatrico "Bambino Gesù" - Roma - Tel. +39 06 68593726 (h24)
CAV - Azienda Ospedaliero-Universitaria Foggia - Foggia - Tel. +39 0881 732326 (h24)
CAV - Azienda Ospedaliera "A. Cardarelli" - Napoli - Tel. +39 081 7472870 (h24)
CAV - Policlinico "Umberto I" - Roma - Tel. +39 06 4450618 (h24)
CAV - Policlinico "A. Gemelli" - Roma - Tel. +39 06 3054343 (h24)
CAV - Azienda Ospedaliera "Careggi" U.O. Tossicologia Medica - Firenze - Tel. +39 055 7947819(h24)
CAV - Centro Nazionale di Informazione Tossicologica - Pavia - Tel. +39 0382 24444 (h24)
CAV - Ospedale "Niguarda Ca' Granda" - Milano - Tel. +39 02 66101029 (h24)
CAV - Azienda Ospedaliera "Papa Giovanni XXIII" - Bergamo - Tel. +39 800 883300(h24)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Acute toxicity, category 4	H302	Harmful if swallowed.
Acute toxicity, category 4	H312	Harmful in contact with skin.
Specific target organ toxicity - repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 2 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

Hazardous to the aquatic environment, chronic toxicity,
category 2

H411

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H302+H312	Harmful if swallowed or in contact with skin.
H373	May cause damage to organs through prolonged or repeated exposure.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe fume and vapours.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and protective clothing and eye protection and face protection.
P312	If exposed or if you feel unwell: Call a POISON CENTER or doctor / physician.
P501	Dispose of contents / container to an authorized collection centers.

Contains: N-Aminoethylpiperazine
Propylidynetrimethanol, propoxylated, reaction products with ammonia

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
Propylidynetrimethanol, propoxylated, reaction		

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 3 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

products with ammonia

CAS -	$75 \leq x < 100$	Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Dam. 1 H318, Aquatic Chronic 2 H411
-------	-------------------	---

EC 500-105-6

INDEX -

Reg. no. 01-2119556886-20

N-Aminoethylpiperazine

CAS 140-31-8	$1 \leq x < 3$	Repr. 2 H361, Acute Tox. 4 H302, Acute Tox. 4 H312, STOT RE 1 H372, Skin Corr. 1B H314, Skin Sens. 1 H317, Aquatic Chronic 3 H412
--------------	----------------	---

EC 205-411-0

INDEX 612-105-00-4

Reg. no. 01-2119471486-30

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.
For symptoms and effects caused by the contained substances, see section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 4 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 5 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany):
10

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Propylidyntrimethanol, propoxylated, reaction products with ammonia

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,0044	mg/l
Normal value in marine water	0,00044	mg/l
Normal value for fresh water sediment	0,02	mg/kg
Normal value for marine water sediment	0,002	mg/kg
Normal value for water, intermittent release	0,044	mg/l
Normal value of STP microorganisms	10	mg/l
Normal value for the terrestrial compartment	0,002	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Chronic systemic	Effects on workers		
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local
Inhalation				3,8 mg/m ³			14 mg/m ³
Skin					0,8 mg/kg bw/d		1,6 mg/kg bw/d

N-Aminoethylpiperazine

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,058	mg/l
Normal value in marine water	0,0058	mg/l
Normal value for fresh water sediment	215	mg/kg
Normal value for marine water sediment	21,5	mg/kg
Normal value for water, intermittent release	0,58	mg/l
Normal value of STP microorganisms	250	mg/l
Normal value for the terrestrial compartment	42,9	mg/kg

Health - Derived no-effect level - DNEL / DMEL

SCHEMA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 6 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,5 mg/kg bw/d		0,3 mg/kg bw/d				
Inhalation		5,3 mg/m3		0,9 mg/m3		21,4 mg/m3		3,6 mg/m3
Skin	0,02 mg/cm2	10 mg/kg bw/d	0,003 mg/cm2	1,7 mg/kg bw/d	0,04 mg/cm2	20 mg/kg bw/d	0,006 mg/cm2	3,3 mg/kg bw/d

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 7 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

Appearance	liquid
Colour	transparent
Odour	ammoniacale
Odour threshold	Not available
pH	11
Melting point / freezing point	Not available
Initial boiling point	Not applicable
Boiling range	Not available
Flash point	90 °C
Evaporation Rate	Not available
Flammability of solids and gases	not applicable
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	0,68 kPa a 20°C
Vapour density	> 1 (aria 0 1)
Relative density	ca. 1,0
Solubility	soluble
Partition coefficient: n-octanol/water	-1,13
Auto-ignition temperature	326 °C
Decomposition temperature	236°C
Viscosity	110 mm/s ²
Explosive properties	not applicable
Oxidising properties	not applicable

9.2. Other information

Total solids (250°C / 482°F) 10,69 %

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 8 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

ACUTE TOXICITY

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component)

LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component)

LD50 (Oral) of the mixture: 601 mg/kg

LD50 (Dermal) of the mixture: 1323 mg/kg

SKIN CORROSION / IRRITATION Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION Sensitising for the skin

GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class

CARCINOGENICITY Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE May cause damage to organs

ASPIRATION HAZARD Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

Information not available

12.2. Persistence and degradability

Information not available

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 9 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, 3066
IATA:

14.2. UN proper shipping name

ADR / RID:	PAINTE or PAINTE RELATED MATERIAL
IMDG:	PAINTE or PAINTE RELATED MATERIAL
IATA:	PAINTE or PAINTE RELATED MATERIAL

14.3. Transport hazard class(es)

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 10 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

ADR / RID: Class: 8 Label: 8



IMDG: Class: 8 Label: 8



IATA: Class: 8 Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special Provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Pass.:	Maximum quantity: 5 L	Packaging instructions: 852
	Special Instructions:	A3, A72, A192, A803	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point 3

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 11 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

WGK 2: Hazard to waters

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Repr. 2	Reproductive toxicity, category 2
Acute Tox. 4	Acute toxicity, category 4
STOT RE 1	Specific target organ toxicity - repeated exposure, category 1
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H361	Suspected of damaging fertility or the unborn child.
H302+H312	Harmful if swallowed or in contact with skin.

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener

cod. 88965001

Revision: 1 / EN

Page 12 of 13

Date of print: 10/07/2019

Date of review: 19/06/2018

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology

SCHEDA DI DATI DI SICUREZZA
secondo il Regolamento (CE) Num. 1907/2006 (REACH)

RECUPERA E RINNOVA - Hardener
cod. 88965001
Revision: 1 / EN

Page 13 of 13

Date of print: 10/07/2019
Date of review: 19/06/2018

- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 09 / 11 / 16.