

**SAFETY DATA SHEET**  
in accordance with Regulation (CE) Num. 1907/2006 (REACH)

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 1 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Code: 54122001  
Product name: SARATOGA GFO

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: RUST PROTECTIVE LUBRICANT RUST SOLVER GENERAL USE.

Identified Uses	Industrial	Professional	Consumer
GENERAL CONSUMER	-	-	✓
INDUSTRIAL MAINTENANCE	✓	✓	-

Uses advised against: This product is not recommended for all those uses not specifically identified on the label.

### 1.3. Details of the supplier of the safety data sheet

Name: SARATOGA INT. SFORZA SPA  
Full address: Via Edison 76  
District and Country: 20090 Trezzano s/Naviglio (MI)  
ITALIA  
Tel. +39-02 445731  
Fax +39-02 4452742

e-mail address of the competent person  
responsible for the Safety Data Sheet

trading@saratogasforza.com

### 1.4. Emergency telephone number

For urgent inquiries refer to

CAV - Ospedale Pediatrico "Bambino Gesù" - Roma - Tel. +39 06 68593726 (h24)  
CAV - Azienda Ospedaliero-Universitaria Foggia - Foggia - Tel. +39 0881 732326 (h24)  
CAV - Azienda Ospedaliera "A. Cardarelli" - Napoli - Tel. +39 081 7472870 (h24)  
CAV - Policlinico "Umberto I" - Roma - Tel. +39 06 4450618 (h24)  
CAV - Policlinico "A. Gemelli" - Roma - Tel. +39 06 3054343 (h24)  
CAV - Azienda Ospedaliera "Careggi" U.O. Tossicologia Medica - Firenze - Tel. +39 055 7947819(h24)  
CAV - Centro Nazionale di Informazione Tossicologica - Pavia - Tel. +39 0382 24444 (h24)  
CAV - Ospedale "Niguarda Ca' Granda" - Milano - Tel. +39 02 66101029 (h24)  
CAV - Azienda Giovanni XXIII" - Bergamo - Tel. +39 800 883300 (h24)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 2 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

Hazard classification and indication:

Aerosol, category 1	H222 H229	Extremely flammable aerosol. Pressurised container: may burst if heated.
Sensibilizzazione cutanea, category 1	H317	May cause an allergic skin reaction.
Pericoloso per l'ambiente acquatico, tossicità cronica, category 3	H412	Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:                      Danger

Hazard statements:

<b>H222</b>	Extremely flammable aerosol.
<b>H229</b>	Pressurized container: may burst if heated.
<b>H317</b>	May cause an allergic skin reaction.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

Precautionary statements:

<b>P101</b>	If medical advice is needed, have product container or label at hand.
<b>P102</b>	Keep out of reach of children.
<b>P210</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<b>P211</b>	Do not spray on an open flame or other ignition source.
<b>P251</b>	Pressurized container: do not pierce or burn, even after use.
<b>P261</b>	Avoid breathing spray.
<b>P271</b>	Use only outdoors or in a well-ventilated area.
<b>P280</b>	Wear protective gloves.
<b>P410+P412</b>	Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.
<b>P501</b>	Dispose of contents/container in authorized collection centers.

**Contiene:**                              (R)-P-MENTHA-1,8-DIENE

**2.3. Other hazards**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

**SAFETY DATA SHEET**  
in accordance with Regulation (CE) Num. 1907/2006 (REACH)

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 3 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

### SECTION 3. Composition/information on ingredients

#### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
<b>Iso-ALCANI CICLICI C12-C16</b> <b>&lt;0,03% Aromatici</b>		
CAS -	$30 \leq x < 50$	Asp. Tox. 1 H304, EUH066
EC 920-107-4		
INDEX -		
Reg. no. 01-2119453414-43		
<b>PROPANE</b>		
CAS 74-98-6	$15 \leq x < 30$	Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U
EC 200-827-9		
INDEX 601-003-00-5		
Reg. no. 01-2119486944-21-xxxx		
<b>BUTANE</b>		
CAS 106-97-8	$5 \leq x < 15$	Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: C U
EC 203-448-7		
INDEX 601-004-00-0		
Reg. no. 01-2119474691-32-xxxx		
<b>Isobutane</b>		
CAS 75-28-5	$1 \leq x < 5$	Flam. Gas 1A H220, Classification note according to Annex VI to the CLP Regulation: C
EC 200-857-2		
INDEX 601-004-00-0		
Reg. no. 01-2119485395-27-xxxx		
<b>(R)-P-MENTA-1,8-DIENE</b>		
CAS 5989-27-5	$0,25 \leq x < 1$	Flam. Liq. 3 H226, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1, Nota C
EC 227-813-5		
INDEX 601-029-00-7		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 34,10 %

### SECTION 4. First aid measures

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists,

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 4 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

## **SECTION 5. Firefighting measures**

### **5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### **5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

### **5.3. Advice for firefighters**

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

### **6.2. Environmental precautions**

Do not disperse in the environment.

### **6.3. Methods and material for containment and cleaning up**

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 5 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

Storage class TRGS 510 (Germany):  
2B

### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

DEU	Deutschland	TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition, published 2018)
GRC	Ελλάδα TLV-ACGIH	ΕΦΗΜΕΡΙΔΑ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ - ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 152 - 21 Αυγούστου 2018 ACGIH 2019

### Iso-ALCANI CICLICI C12-C16 <0,03% Aromatici Threshold Limit Value

Type	Country	TWA/8h	STEL/15min	Remarks / Observations
		mg/m3	ppm	
		mg/m3	ppm	
TLV-ACGIH		1200	200	
Predicted no-effect concentration - PNEC				
Normal value in fresh water			NPI	
Normal value in marine water			NPI	
Normal value for fresh water sediment			NPI	

**SAFETY DATA SHEET**  
in accordance with Regulation (CE) Num. 1907/2006 (REACH)

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 6 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

Normal value for marine water sediment	NPI
Normal value for water, intermittent release	NPI
Normal value of STP microorganisms	NEA
Normal value for the food chain (secondary poisoning)	NPI
Normal value for the terrestrial compartment	NPI
Normal value for the atmosphere	NPI

Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	NPI	NPI			NPI	NPI		
Inhalation	NPI	NPI						
Skin	NPI	NPI						

PROPANE Threshold Limit Value						
Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	1800	1000	7200	4000	
MAK	DEU	1800	1000	7200	4000	
VLA	ESP		1000			
TLV	GRC	1800	1000			

BUTANE Threshold Limit Value						
Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	2400	1000	9600	4000	
MAK	DEU	2400	1000	9600	4000	
VLA	ESP		1000			Gases
VLEP	FRA	1900	800			
WEL	GBR	1450	600	1810	750	
TLV	GRC	2350	1000			
TLV-ACGIH					1000	

(R)-P-MENTHA-1,8-DIENE Threshold Limit Value						
Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	110	20	220	40	
MAK	DEU	28	5	112	20	

Legend:

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 7 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### HAND PROTECTION

None required.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	aerosol
Colour	straw-coloured
Odour	mild
Odour threshold	Non Definita
pH	Not applicable
Melting point / freezing point	< -15 °C
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation Rate	Not available
Flammability of solids and gases	flammable gas
Lower inflammability limit	2,8 % (V/V)
Upper inflammability limit	8,9 % (V/V)

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 8 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

Lower explosive limit	Not applicable
Upper explosive limit	Not applicable
Vapour pressure	4570 mmHg
Vapour density	< 1 (Aria = 1)
Relative density	0,68
Solubility	soluble in organic solvents
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	> 270 °C
Decomposition temperature	Non definita
Viscosity	> 19cSt a 15°C (rif. base)
Explosive properties	not applicable
Oxidising properties	not applicable

#### 9.2. Other information

Total solids (250°C / 482°F)	23,85 %
VOC (Directive 2010/75/EC) :	77,86 % - 529,43 g/litre
VOC (volatile carbon) :	69,88 % - 475,18 g/litre

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

Avoid overheating.

### 10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

### 10.6. Hazardous decomposition products

Information not available

## SECTION 11. Toxicological information



**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 9 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

**11.1. Information on toxicological effects**

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:  
Not classified (no significant component)  
LD50 (Oral) of the mixture:  
Not classified (no significant component)  
LD50 (Dermal) of the mixture:  
Not classified (no significant component)

Iso-ALCANI CICLICI C12-C16 <0,03% Aromatici

LD50 (Oral) > 5000 mg/kg RAT (OCSE 401)

LD50 (Dermal) > 5000 mg/kg RABBIT ( OCSE 402)

LC50 (Inhalation) > 4591 mg/l RAT (OCSE403)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 10 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Excluded because the aerosol does not allow the accumulation of a significant amount of product in the mouth

## SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

(R)-P-MENTHA-1,8-DIENE

LC50 - for Fish	35 mg/l/96h (Oncorhynchus Mykiss)
EC50 - for Crustacea	69,6 mg/l/48h (Daphnia pulex)

Iso-ALCANI CICLICI C12-C16 <0,03%  
Aromatici

EC50 - for Crustacea	1000 mg/l/48h (Daphnia Magna) (EL0)
EC50 - for Algae / Aquatic Plants	1000 mg/l/72h (Oncorhynchus Mykiss)
LC10 for Fish	1000 mg/l/96h (Pseudokirchneriella) (EL0)

### 12.2. Persistence and degradability

(R)-P-MENTHA-1,8-DIENE

Solubility in water	0,1 – 100 mg/l
Rapidly degradable	

BUTANE

**SAFETY DATA SHEET**  
in accordance with Regulation (CE) Num. 1907/2006 (REACH)

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 11 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

Solubility in water 0,1 - 100 mg/l  
Rapidly degradable

**PROPANE**

Solubility in water 0,1 - 100 mg/l  
Rapidly degradable

Iso-ALCANI CICLICI C12-C16 <0,03%  
Aromatici  
Degradability: information not available

**12.3. Bioaccumulative potential**

**(R)-P-MENTHA-1,8-DIENE**

Partition coefficient: n-octanol/water 4,38  
BCF 1022

**BUTANE**

Partition coefficient: n-octanol/water 1,09

**PROPANE**

Partition coefficient: n-octanol/water 1,09

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

**12.6. Other adverse effects**

Information not available

## SECTION 13. Disposal considerations

**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

**CONTAMINATED PACKAGING**

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

**SAFETY DATA SHEET**  
in accordance with Regulation (CE) Num. 1907/2006 (REACH)

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 12 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

**14.1. UN number**

ADR / RID, IMDG, 1950  
IATA:

**14.2. UN proper shipping name**

ADR / RID: AEROSOLS  
IMDG: AEROSOLS  
IATA: AEROSOLS, FLAMMABLE

**14.3. Transport hazard class(es)**

ADR / RID: Class: 2 Label: 2.1  
IMDG: Class: 2 Label: 2.1  
IATA: Class: 2 Label: 2.1



**14.4. Packing group**

ADR / RID, IMDG, -  
IATA:

**14.5. Environmental hazards**

ADR / RID: NO  
IMDG: NO  
IATA: NO

**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: --	Limited Quantities: 1 L	Tunnel restriction code: (D)
IMDG:	Special Provision: - EMS: F-D, S-U	Limited Quantities: 1 L	
IATA:	Cargo:	Maximum quantity: 150 Kg	Packaging instructions: 203
	Pass.:	Maximum quantity: 75 Kg	Packaging instructions: 203
	Special Instructions:	A145, A167, A802	

**SAFETY DATA SHEET**  
in accordance with Regulation (CE) Num. 1907/2006 (REACH)

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 13 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Information not relevant

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: P3a

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>	
Point	40

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

### 15.2. Chemical safety assessment

No chemical safety assessment has been performed for contained substances

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 14 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

<b>Flam. Gas 1A</b>	Flammable gas, category 1A
<b>Aerosol 1</b>	Aerosol, category 1
<b>Aerosol 3</b>	Aerosol, category 3
<b>Press. Gas (Liq.)</b>	Liquefied gas
<b>Asp. Tox. 1</b>	Aspiration hazard, category 1
<b>H220</b>	Extremely flammable gas.
<b>H222</b>	Extremely flammable aerosol.
<b>H229</b>	Pressurised container: may burst if heated.
<b>H280</b>	Contains gas under pressure; may burst if heated.
<b>H304</b>	May be fatal if swallowed and enters airways.
<b>EUH066</b>	Repeated exposure may cause skin dryness or cracking.

**LEGEND:**

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

**GENERAL BIBLIOGRAPHY**

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

**SAFETY DATA SHEET**  
**in accordance with Regulation (CE) Num. 1907/2006 (REACH)**

SARATOGA GFO  
cod. 54122001  
Revision: 14 / EN

Page 15 of 15

Date of print: 25/06/2020  
Date of review: 07/06/2019

- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.

**Changes to previous review:**

The following sections were modified:

01 / 03 / 04 / 08 / 09 / 11 / 12 / 14 / 15 / 16.