

## Safety Data Sheet dated 21/9/2017, version 3

- SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier
  - Mixture identification: Trade name:

Trade code:

HAPPY COLOR SPECCHIANTE ACCIAIO LUCIDO 88155002

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Spray painting decorative household, industrial and professional

Uses advised against

This product is not recommended for all those industrial, professional or consumer uses not specifically identified on the label.

- 1.3. Details of the supplier of the safety data sheet
  - Company:

SARATÓGA INT. SFORZA SPA Via Edison 76 20090 Trezzano s/Naviglio (MI) - ITALY Tel. +039 02.445731 Fax +039 02.4452742

Competent person responsible for the safety data sheet:

trading@saratogasforza.com

1.4. Emergency telephone number

CAV - Ospedale Pediatrico "Bambino Gesù" - Roma - Tel. +39 06 68593726 (h24)

- CAV Azienda Ospedaliero-Universitaria Foggia Foggia Tel. +39 0881 732326 (h24)
- CAV Azienda Ospedaliera "A. Cardarelli" Napoli Tel. +39 081 7472870 (h24)
- CAV Policlinico "Umberto I" Roma Tel. +39 06 4450618 (h24)

CAV - Policlinico "A. Gemelli" - Roma - Tel. +39 06 3054343 (h24)

- CAV Azienda Ospedaliera "Careggi" U.O. Tossicologia Medica Firenze Tel. +39 055 7947819(h24)
- CAV Centro Nazionale di Informazione Tossicologica Pavia Tel. +39 0382 24444 (h24)
- CAV Ospedale "Niguarda Ca' Granda" Milano Tel. +39 02 66101029 (h24)
- CAV Azienda Ospedaliera "Papa Giovanni XXIII" Bergamo Tel. +39 800 883300 (h24)

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Danger

Hazard statements:

H222+H229 Extremely flammable aerosol. Pressurized container: may burst if heated. Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. P501 Dispose of contents / container to authorized centers.

The formation of explosive mixtures is possible in insufficiently ventiladed environments.



## Safety Data Sheet dated 21/9/2017, version 3

Special Provisions: None Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

## **SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name Ident. Number		Classification	
>= 25% - < 30%	dimethyl carbonate	Index number:	607-013-00-6	🔶 2.6/2 Flam. Liq. 2 H225
		CAS:	616-38-6	
		EC:	210-478-4	
		REACH No.:	01-21195483 99-23-XXXX	
>= 20% -	propane	Index	601-003-00-5	📀 2.2/1 Flam. Gas 1 H220
< 25%		number:		
		CAS:	74-98-6	
		EC:	200-827-9	
>= 10% -	butane	Index	601-004-00-0	2.3/3 Aerosols 3 H229
< 12.5%		number:		🚸 2.2/1 Flam. Gas 1 H220
		CAS:	106-97-8	
		EC:	203-448-7	
>= 2.5% - < 5%	and isobutane	Index number:	601-004-00-0	📀 2.2/1 Flam. Gas 1 H220
		CAS:	75-28-5	
		EC:	200-857-2	
>= 1% -	acetone;	Index	606-001-00-8	2.6/2 Flam. Liq. 2 H225
< 2.5%	propan-2-one;	number:		
	propanone	CAS:	67-64-1	3.3/2 Eye Irrit. 2 H319
		EC:	200-662-2	3.8/3 STOT SE 3 H336
		REACH No.:	01-21194724	EUH066
			26-35-XXXX	

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed

Page n. 2 of 9



## Safety Data Sheet dated 21/9/2017, version 3

Treatment: None

## **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: CO2 or Dry chemical fire extinguisher. Extinguishing media which must not be used for safety reasons: None in particular.
  - 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
  - 5.3. Advice for firefighters
     Use suitable breathing apparatus .
     Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections

See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:



### Safety Data Sheet dated 21/9/2017, version 3

None in particular. See also section 10 below. Instructions as regards storage premises: Cool and adequately ventilated ones. 7.3. Specific end use(s) For interior uses

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters propane - CAS: 74-98-6 ACGIH - Note: Asphyxia VLE short - 1000 ppm butane - CAS: 106-97-8 ACGIH - STEL: 1000 ppm - Notes: CNS impair and isobutane - CAS: 75-28-5 ACGIH - STEL: 1000 ppm - Notes: CNS impair VLE short - 1000 ppm acetone; propan-2-one; propanone - CAS: 67-64-1 UE - TWA(8h): 1210 mg/m3, 500 ppm ACGIH - TWA(8h): 250 ppm - STEL: 500 ppm - Note: A4, BEI - URT and eye irr, CNS impair **DNEL Exposure Limit Values** N.Á. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid aspect (under pressure), various colours.		



## Safety Data Sheet dated 21/9/2017, version 3

racteristic solvent A.		
Α.		
۹.		
А.		
۹.		
0 ° C		
۹.		
tremely		
nmable		
۹.		
0°C - 4,0 bar		
0°C - 8,0 bar		
of air.		
5 - 0,80		
nl		
NE		
S		
۹.		
۹.		
۹.		
۹.		
۹.		
۹.		
	0 ° C A. remely nmable A. 0°C - 4,0 bar 0°C - 8,0 bar 0°C - 8,0 bar f air. 5 - 0,80 nl NE S A. A. A. A.	A. $0 \circ C$ A.          A.          mmable $\Lambda$ . $0^{\circ}C - 4,0$ bar $0^{\circ}C - 4,0$ bar $0^{\circ}C - 8,0$ bar $f air.          5 - 0,80 1          NE          S          A.          A.          A.          A.          A.          A.          A.          A.          A.    $

#### 9.2. Other information

Properties	Value	Method:	Notes:	
Miscibility:	N.A.			
Fat Solubility:	N.A.			
Conductivity:	N.A.			
Substance Groups relevant properties	N.A.			

## **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions

It may generate toxic gases on contact with powerful oxidising agents, and powerful reducing agents.

It may catch fire on contact with powerful oxidising agents.



## Safety Data Sheet dated 21/9/2017, version 3

- 10.4. Conditions to avoid
- Stable under normal conditions.
- 10.5. Incompatible materials
  - Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

acetone; propan-2-one; propanone - CAS: 67-64-1

LD50 (RABBIT) ORAL: 5300 MG/KG

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

## **SECTION 12: Ecological information**

- 12.1. Toxicity
  - Adopt good working practices, so that the product is not released into the environment. N.A.
- 12.2. Persistence and degradability None

None N.A.

- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil
  - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.



## Safety Data Sheet dated 21/9/2017, version 3

#### **SECTION 14: Transport information**

14.1. UN number	
	the meaning of transport regulations.
ADR-UN number:	1950
IATA-Un number:	1950
IMDG-Un number:	1950
14.2. UN proper shipping name	
ADR-Shipping Name:	AEROSOL
IATA-Technical name:	AEROSOL
IMDG-Technical name:	AEROSOL
N.A.	
14.3. Transport hazard class(es)	
ADR-Class:	2 5F
ADR - Hazard identification nu	
IATA-Class:	2.1
IATA-Label:	2.1
IMDG-Class:	2
N.A.	
14.4. Packing group	
ADR-Packing Group:	-
IATA-Packing group:	-
IMDG-Packing group:	-
N.A.	
14.5. Environmental hazards	Marcine and the terret
Marine pollutant:	Marine pollutant
N.A.	
14.6. Special precautions for user	
IATA-Passenger Aircraft:	203
IATA-Cargo Aircraft: IMDG-Technical name:	
	AEROSOL F-D, S-U
IMDG-Page: N.A.	F-D, 3-0
	Annex II of Marpol and the IBC Code

N.A.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture D.Lgs. 9/4/2008 n. 81
D.M. Work 26/02/2004 (Occupational Exposure Limit Values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 944/2013 (ATP 4 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Volatile Organic compounds - VOCs = 565.95 g/l Volatile CMR substances = 0.00 %



## Safety Data Sheet dated 21/9/2017, version 3

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 % Organic Carbon - C = 0.00 Where applicable, refer to the following regulatory provisions : Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): N.A.
15.2. Chemical safety assessment No chemical safety assessment has been carried out for the mixture.

## SECTION 16: Other information

Remove dried varnish with acetone or nitre diluent.

Text of phrases referred to under heading 3:

H220 Extremely flammable gas.

H229 Pressurized container: may burst if heated.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Changes to previous review:

The following sections were modified: SECTION1: 1.2 Uses advised against SECTION 3:

Qty	Name	Ident. Num	ber	Classification
>= 25% -	dimethyl carbonate	Index	607-01 3-00-6	26/2 Flam. Lig. 2 H225
< 30%		number:		
		CAS:	616-38-6	
		EC:	210-478-4	
			: 01-21195483	
			99 -23-XXXX	

**SECTION 16: Other information** 

Classification and procedure used to result it according to Regulation (EC)1272/2008 [CLP] related to mixtures:

Classification according to Regulation (EC) n. 1272/2008	Classification procedure
Aerosols 1, H222+H229	Based on experimental tests

This safety data sheet has been completely updated in compliance to Regulation 2015/830. This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold



## Safety Data Sheet dated 21/9/2017, version 3

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
CAS:	Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical
CLP: DNEL:	Society). Classification, Labeling, Packaging. Derived No Effect Level.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA: IATA-DGR:	International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport
_	Association" (IATA).
ICAO: ICAO-TI:	International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization"
IMDG:	(ICAO). International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50: LD50:	Lethal concentration, for 50 percent of test population. Lethal dose, for 50 percent of test population.
LTE: PNEC:	Long-term exposure. Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL: STOT:	Short Term Exposure limit. Specific Target Organ Toxicity.
TLV: TWATLV:	Threshold Limiting Value. Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.