in ac	SAFEY DATA SHE cordance with Regulation (CE) No		
GRASSO SPRAY LUBRIFICANTE			
cod. 54270001 Revision: 13.1 / EN	Page 1 of	10	Date of print: 27/03/2018 Date of review: 28/09/2016
SECTION 1. Identification of the	e substance/mixture and of	the company/under	taking
1.1. Product identifier			
Code: Product name	54270001_ GRASSO LUBRIF GRASSO SPRAY LUBRIFICA		
Floduct name	GRASSO SPRAT LUBRIFICA		
1.2. Relevant identified uses of the substant	GREASE LUBRIFICANT FOR	PROFESSIONAL USE.	
	Industrial	Professional	Consumer
	-	-	~
INDUSTRIAL MAINTENANCE	4	✓	-
Jses advised against:	This product is not recommo label.	ended for all those uses not	specifically identified on the
1.3. Details of the supplier of the safety da	ta sheet		
Name	SARATOGA INT. SFORZA SF	PA	
Full address District and Country	Via Edison 76 20090 Trezzano s/Naviglio (N	IN	
	ITALIA		
	Tel. +39-02 445731		
	Fax +39-02 4452742		
e-mail address of the competent person			
responsible for the Safety Data Sheet	trading@saratogasforza.com	ı	
1.4. Emergency telephone number For urgent inquiries refer to		Jniversitaria Foggia - Foggi	a - Tel. +39 0881 732326 (h24)
	CAV - Azienda Ospedaliera " CAV - Policlinico "Umberto I CAV - Policlinico "A. Gemelli CAV - Azienda Ospedaliera " 7947819(h)h224	' - Roma - Tel. +39 06 44506 " - Roma - Tel. +39 06 30543	18 (h24)
	CAV - Centro Nazionale di In CAV - Ospedale "Niguarda C	a' Granda" - Milano - Tel. +3	Pavia - Tel. +39 0382 24444 (h24) 9 02 66101029 (h24) amo - Tel. +39 800 883300 (h24)
	_		

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (CE) 1907/2006. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

GRASSO SPRAY LUB	RIFICANTE			
cod. 54270001			0.0140	Date of print: 27/03/2018
Revision: 13.1 / EN		Pag	e 2 of 13	Date of review: 28/09/2016
Hazard classification and in Aerosol, category 1	dication:	H222 H229	Extremely flamma Pressurised conta	ble aerosol. iner: may burst if heated.
2.2. Label elements				
Hazard labelling pursuant to	DEC Regulation 1272/2008 (Cl	LP) and subsequent a	amendments and supplemer	nts.
Hazard pictograms:				
Signal words:	Danger			
Hazard statements:				
H222 H229	Extremely flammable aerosol Pressurized container: may b			
Precautionary statements:				
P101 P102 P210 P211 P251 P271 P410+P412 P501	If medical advice is needed, h Keep out of reach of children. Keep away from heat, hot su Do not spray on an open flam Pressurized container: do not Use only outdoors or in a wel Protect from sunlight. Do no e Dispose of contents / contain	faces, sparks, open f ne or other ignition so t pierce or burn, even l-ventilated area. expose to temperature	lames and other ignition sou urce. after use. es exceeding 50°C / 122°F.	ırces. No smoking.
2.3. Other hazards				
On the basis of available da	ata, the product does not contai	in any PBT or vPvB ir	n percentage greater than 0,	1%.
SECTION 3. Com	position/information	on ingredients		
3.2. Mixtures				
Contains:				
Identification PROPANE	x = Conc. %	Classification 12	72/2008 (CLP)	
CAS 74-98-6 EC 200-827-9	15≤x< 30	Flam. Gas 1A H22	20, Note U	

GRASSO SPRAY LUBRIFICANTE cod. 54270001		Date of print: 27/03/2018
Revision: 13.1 / EN	Page 3 of 13	Date of print: 27/03/2010
INDEX 601-003-00-5		
Reg. no. 01-2119486944-21-xxxx		
BUTANE		
CAS 106-97-8 5≤x<15	Flam. Gas 1A H220, Note C U	
EC 203-448-7		
INDEX 601-004-00-0		
Reg. no. 01-2119474691-32-xxxx		
HEPTANE		
CAS 142-82-5 5 ≤ x < 15	Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H4	
EC 205-563-8	·	
INDEX 601-008-00-2		
Reg. no. 01-2119475515-33-xxxx		
Iso-BUTANE		
CAS 75-28-5 1≤x< 5	Flam. Gas 1A H220, Note C	
EC 200-857-2		
INDEX 601-004-00-0		
Reg. no. 01-2119485395-27-xxxx		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 38,30 %

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorized by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 4 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 5 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

TLV-ACGIH ACGIH 2016	DEU ESP FRA GBR GRC	Deutschland España France United Kingdom Ελλάδα TLV-ACGIH	MAK-und BAT-Werte-Liste 2012 INSHT - Límites de exposición profesional para agentes químicos en España 2015 JORF n°0109 du 10 mai 2012 page 8773 texte n° 102 EH40/2005 Workplace exposure limits ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου ACGIH 2016
----------------------	---------------------------------	--	--

PROPANE

Threshold Limit Val	ue					
Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	1800	1000	7200	4000	
MAK	DEU	1800	1000	7200	4000	
TLV	GRC	1800	1000			
TLV-ACGIH			1000			

BUTANE

Threshold Limit Val	ue						
Туре	Country	TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	2400	1000	9600	4000		
MAK	DEU	2400	1000	9600	4000		
VLA	ESP		800				
VLEP	FRA	1900	800				
WEL	GBR	1450	600	1810	750		
TLV	GRC	2350	1000				
TLV-ACGIH				2377	1000		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 6 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION None required.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	aerosol
Colour	light brown
Odour	mild
Odour threshold	Non definita
рН	Not applicable
Melting point / freezing point	< -4 °C
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation Rate	Not defined
Flammability of solids and gases	flammable gas
Lower inflammability limit	Not applicable
Upper inflammability limit	Not applicable
Lower explosive limit	0,9
Upper explosive limit	8,9
Vapour pressure	Not available
Vapour density	< 1 (Aria =1)
Relative density	Not defined

GRASSO SPRAY LUBRIFICANTE cod. 54270001 R

cod. 54270001		Date of print: 27/03/2018
Revision: 13.1 / EN	Page 7 of 13	Date of review: 28/09/2016
Solubility	soluble in organic solvents	
Partition coefficient: n-octanol/water	Not defined	
Auto-ignition temperature	> 270 °C	
Decomposition temperature	Not defined	
Viscosity	> 150cSt a 20°C	
Explosive properties	not applicable	
Oxidising properties	not applicable	
9.2. Other information		
Total solids (250°C / 482°F)	53.04 %	
VOC (Directive 2010/75/EC) :	48,87 %	

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

0

10.2. Chemical stability

VOC (volatile carbon) :

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

Non sono noti episodi di danno alla salute dovuti all'esposizione al prodotto. In ogni caso si raccomanda di operare nel rispetto delle regole di buona igiene industriale.

11.1. Information on toxicological effects

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 8 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component) LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component) LD50 (Oral) of the mixture: Not classified (no significant component) LD50 (Dermal) of the mixture: Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Excluded because the aerosol does not allow the accumulation of a significant amount of product in the mouth.

SECTION 12. Ecological information

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 9 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

HEPTANE	
EC50 - for Crustacea	< 50,3 mg/l/48h
EC50 - for Algae / Aquatic Plants	< 13,4 mg/l/72h
12.2. Persistence and degradability	
HEPTANE	
Rapidly degradable.	
BUTANE	
Solubility in water	0,1 - 100 mg/l
Rapidly degradable	
PROPANE	
Solubility in water	0,1 - 100 mg/l
Rapidly degradable	0,1 100 mg/
12.3. Bioaccumulative potential	
BUTANE	
	4.00

Partition coefficient: n-octanol/water	1,09
PROPANE	

12.4. Mobility in soil

Information not available.

12.5. Results of PBT and vPvB assessment

Partition coefficient: n-octanol/water

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

1,09

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 10 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

. evaluated according to applicable regulations. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, 1950 IATA:

14.2. UN proper shipping name

ADR / RID:	AEROSOLS
IMDG:	AEROSOLS
IATA:	AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

ADR / RID:	Class: 2	Label: 2.1
IMDG:	Class: 2	Label: 2.1
IATA:	Class: 2	Label: 2.1

_



14.4. Packing group

ADR / RID, IMDG, IATA:

14.5. Environmental hazards

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: Special Provision: -	Limited Quantities: 1 L	Tunnel restriction code: (D)
IMDG:	EMS: F-D, S-U	Limited Quantities: 1 L	
IATA:	Cargo:	Maximum quantity: 100	Packaging instructions:

GRASSO SPRAY LUBRIFICANTE			
cod. 54270001 Revision: 13.1 / EN	Page 11 of 13		Date of print: 27/03/2018 Date of review: 28/09/2016
	5		
Pass.:		Kg Maximum quantity: 25 Kg	130 Packaging instructions: 130
Special Instru	ictions:	A802	130
14.7. Transport in bulk according to Annex II of Marpol	and the IBC Code		
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/le	gislation specific for the substance	or mixture	
Seveso Category - Directive 2012/18/EC: P3a			
Restrictions relating to the product or contained substance	s pursuant to Annex XVII to EC Regula	ation 1907/2006	
Product Point 40			
Substances in Candidate List (Art. 59 REACH)			
On the basis of available data, the product does not contai	n any SVHC in percentage greater tha	n 0,1%.	
Substances subject to authorization (Annex XIV REACH)			
None			
Substances subject to exportation reporting pursuant to (E	<u>C) Reg. 649/2012:</u>		
None			
Substances subject to the Rotterdam Convention:			
None			
Substances subject to the Stockholm Convention:			
None			
Healthcare controls			
Information not available			
15.2. Chemical safety assessment			
A chemical safety assessment has not been performed for	the following contained substances		

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 12 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1	Flammable gas, category 1
Aerosol 1	Aerosol, category 1
Aerosol 3	Aerosol, category 3
Flam. Liq. 2	Flammable liquid, category 2
Asp. Tox. 1	Aspiration hazard, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

GRASSO SPRAY LUBRIFICANTE cod. 54270001 Revision: 13.1 / EN

Page 13 of 13

Date of print: 27/03/2018 Date of review: 28/09/2016

WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 01 / 02.